



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/4582862
Dated/दिनांक : 05-02-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	26-02-2024 17:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	26-02-2024 17:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Uttar Pradesh
Department Name/विभाग का नाम	Medical Health And Family Welfare Department Uttar Pradesh
Organisation Name/संगठन का नाम	N/a
Office Name/कार्यालय का नाम	Lucknow Hq
Total Quantity/कुल मात्रा	400
Item Category/मद केटेगरी	Heavy Duty Storage Racks (Q3)
Minimum Average Annual Turnover of the bidder (For 3 Years)/बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का)	240 Lakh (s)
OEM Average Turnover (Last 3 Years)/मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)	240 Lakh (s)
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	3 Year (s)
MSE Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से एमएसई छूट	No
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Past Performance/विगत प्रदर्शन	10 %

Bid Details/बिड विवरण	
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
EMD Amount/ईएमडी राशि	240000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक	State Bank of India
ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)	5.00
Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).	66

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Managing Director

Uttar Pradesh Medical Supplies Corporation Limited, Suda bhawan ,Lucknow HQ, Medical Health and Family Welfare Department, Uttar Pradesh.

(Managing Director)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	No
---	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	No
--	----

1. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.
3. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU / Public Listed Company. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Heavy Duty Storage Racks (400 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Generic	Material	Mild Steel
	Type	Adjustable Pallet Racks
Warranty/Service	Warranty	5 Or higher (year)
Certifications and Standards	ISO 9001 Latest Certification of Manufacturer	Yes Or higher
	Certification of product	Quality Test, Durability Test

Additional Specification Parameters - Heavy Duty Storage Racks (400 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Dimension	2300 mm(w)* 800 mm(D) * 4800mm (Ht.) (inner to inner) to be comprised as per layout.
Partition	G+3 adjustable partition glavanized ducking pannel with support bar only at G+1st level.
Material for Construction	Steel static storage systems - Adjustable pallet racking systems Compatible with Pallets dimension, Criteria for Earthquake resistant design of structures, high strength HR steel having properties equivalent to grades specified by IS 5986:2002 / IS 2062:2006, anti corrosion treatment, viz. De-greasing as per IS 6005:1970, rinsing, phospating as per IS 3618:1966 and Demineralized water rinsing.
ATC acceptance	ATC acceptance duly signed and stamped by the bidder is mandatory. All the material specification will be considered as per ATC description.
Consignee Address/ Delivery Location Pre-Bid Meeting	Lucknow consignee material will be delivered directly to Sitapur drug warehouse, Sitapur (Contact person- Desh Deepak Tripathi , Mobile no.- 9453740923) 13.02.2024, Friday, Time - 04.30 PM
Dimension	2300 mm(w)* 800 mm(D) * 4800mm (Ht.) (inner to inner) to be comprised as per layout.
Partition	G+3 adjustable partition glavanized ducking pannel with support bar only at G+1st level.
Material for Construction	Steel static storage systems - Adjustable pallet racking systems Compatible with Pallets dimension, Criteria for Earthquake resistant design of structures, high strength HR steel having properties equivalent to grades specified by IS 5986:2002 / IS 2062:2006, anti corrosion treatment, viz. De-greasing as per IS 6005:1970, rinsing, phospating as per IS 3618:1966 and Demineralized water rinsing.
ATC acceptance	ATC acceptance duly signed and stamped by the bidder is mandatory. All the material specification will be considered as per ATC description.
Consignee Address/ Delivery Location Pre-Bid Meeting	Lucknow consignee material will be delivered directly to Sitapur drug warehouse, Sitapur (Contact person- Desh Deepak Tripathi , Mobile no.- 9453740923) 13.02.2024, Friday, Time - 04.30 PM
Dimension	2300 mm(w)* 800 mm(D) * 4800mm (Ht.) (inner to inner) to be comprised as per layout.
Partition	G+3 adjustable partition glavanized ducking pannel with support bar only at G+1st level.
Material for Construction	Steel static storage systems - Adjustable pallet racking systems Compatible with Pallets dimension, Criteria for Earthquake resistant design of structures, high strength HR steel having properties equivalent to grades specified by IS 5986:2002 / IS 2062:2006, anti corrosion treatment, viz. De-greasing as per IS 6005:1970, rinsing, phospating as per IS 3618:1966 and Demineralized water rinsing.
ATC acceptance	ATC acceptance duly signed and stamped by the bidder is mandatory. All the material specification will be considered as per ATC description.

Specification Parameter Name	Bid Requirement (Allowed Values)
Consignee Address/ Delivery Location Pre-Bid Meeting	Lucknow consignee material will be delivered directly to Sitapur drug warehouse, Sitapur (Contact person- Desh Deepak Tripathi , Mobile no.- 9453740923) 13.02.2024, Friday, Time - 04.30 PM

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anoop Kumar Srivastava	226020,CWC, Navveen Fal Mandi, Sitapur Road, Lucknow	100	60
2	Tilak Ram	225001,CMO Office barabanki, CMSD store, Near K D singh Babu Stadium, in front of adarsh police kotwali, barabanki pincode 225001	100	60
3	Prashant Shukla	229001,Nand Public School Madhuban market Ayodhyapuri Rae bareilly-229001	100	60
4	Shriram	242001,Ahmadpur Niwazpur in front of Bye-Pass Lucknow-Bareilly Highway, Shahjahapur-242001	100	60

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Additional terms and condition

Specifi cation	Title	Bid Requirement (Allowed Values)

Heavy Duty Racks (High Graded Durable Material)	Type	Selective pallet racking is the simplest and the most economical pallet racking system, allows 100% accessibility to each pallet. This is ideal, where Stock Keeping Units variety is more. This enables flexibility of managing variety of items yet fast throughput, as selective accessibility does not disturb any other pallet. SPR should be compatible with seismic Zone-4
	Dimension of Single Rack	2300 mm(w)* 800 mm(D) * 4800mm (Ht.) (inner to inner) to be comprised as per layout.
	Upright type/Length	GX90 & GLX90 / Length - 4800 mm, width-800mm, depth -70mm, Bend numb-10 single piece without welding, Material quality-Min Ys= 355 Mpa, Lead free, Powder coated, Thickness-1.6mm
	Base Plate	53mm, W-180mm, D-110 mm, Grouting bolt-2 of M12*100, Fastener-4nos of M10*25, Welding & press forming, Thickness-5 mm
	Grouting Seismic Fastener	Mechanical anchor Torque type, Mild Steel, Zinc Plated, Dia-M12 Depth-100mm
	SHIM Plate	Metal Shim used under base Plate W-160-200mm, D-90-140mm, Press forming, Galvanized, Thickness-1-2mm
	Bracing	Lipped Channel Section, connect uprights together to form a frame, fitted with spacer to bridge the gap, Section-30*30*6mm, Roll Forming, Bend-4, Connectivity-Bolted, Fastener- 2Nos of M10*75/M10*80, Galvanized, Thickness-1.4mm. Diagonal and horizontal Bracing suitable for 800 m depth of frame.
	Row Connector	Connect Back-to-Back frame in double faced Unit, Type-Lipped Channel with rectangular Plates at end, Section-30*30*6mm, Roll forming & welding, Bends-4, Fastener-4 of M10*25, Powder coated, Thickness-3.15mm Plate and 1.5mm Cleat
	BEAM-HEM+	Box designed to ensure strength and stability, used for pallets resting face of the beam 50mm support, Welded with lip connector with locking pin, H-85mm, W-50mm, Connector-4Lip, Roll forming & welding. Bend-5+5=10Nos, Z Shape locking pin, Dia-6mm Powder coated, thickness-3.5mm lip connector, 1.5mm beam.
	Upright Guard	for Safety used in front of all aisle facing upright, guard against accidental hit-Stiffed "C", H-300mm, energy absorption-800Nm, Connectivity- grouting, Fasteners-3Nos of M12*100 grouting bolt, 6 Nos of M10*25 Hex. Bolt, Powder Coated, with Zebra Sticker, Thickness-3.5mm for front guard, 6mm for bottom guard,
	Square Row guard	For safety installed in cross aisle to guard the end frame, protect from accidental hit, Tube size-57mmsq, H-300mm, Energy absorption-800Nm, Connectivity-Grouting, Fasteners-4Nos of M12*100 grouting Bolt, powder coated, Thickness-2.65mm
	Partition	G+3 adjustable partition galvanized ducking panel with support bar only at G+1st level.
DIMENSION	Minimum Dynamic Load suitability	5000 Kg

	Minimum Uniformly distributed Static Load suitability	5000 Kg
MATERIAL	Material for Construction	Steel static storage systems - Adjustable pallet racking systems Compatible with Pallets dimension, Criteria for Earthquake resistant design of structures, high strength HR steel having properties equivalent to grades specified by IS 5986:2002 / IS 2062:2006, anti corrosion treatment, viz. De-greasing as per IS 6005:1970, rinsing, phosphating as per IS 3618:1966 and Demineralized water rinsing.
	Other Requirement	with galvanized finish, All fasteners used are of grade 8.8
	Fixing and Fitting (Complete Installation) at particular DWH	Complete setup and Installation by the firm as per the requirement
	Seismic Component	Back bracing and plan bracing at suitable pitch to make structure conforming to Seismic design.
Other Requirements	1) Experience Criteria	3 years (Bidder /OEM can be considered)
	2) OEM Authorization Certificate	Required
	3) MSE Category Certificate	Required
	4)MSME-State	Required
	5) Non-Blacklisting/Liquidation Declaration	Required
	6) Last three FY Turnover (2020-21, 2021-22, 2022-23)	Required (Should be certified by CA with UDIN)
	7) GST,PAN, ITR	Required
	8) EMD Exemption Certificate	Required
	9) Signed Declaration for all ATC	Required
	10) Product warranty	5 years
	11) Quality Certification	IS 5986:2002 / IS 2062:2006, IS 6005:1970/ IS 3618:1966
	12) Make/ Model	Required
	13) EMD	2% of the total value of bid
	14) ePBG percentage of total value	5% of the total value of bid
	15) ePBG holding duration	warranty period + 6 months
	16) Service	Bidder must provide immediate resolution (within 48 hrs)
	17) Average turnover of firm (last 3 years)	2 times of the bid value (240 lakhs)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses

on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो।बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---